Available online on 15.05.2021 at http://jddtonline.info

Journal of Drug Delivery and Therapeutics

Open Access to Pharmaceutical and Medical Research

© 2011-21, publisher and licensee JDDT, This is an Open Access article which permits unrestricted non-commercial use(CC By-NC), provided the original work is properly cited







**Review Article** 

# *Nutūl* as an effective and time tested regimenal modality in *Unani* system of medicine: An Overview

Mohd Nayab<sup>1\*</sup>, Fatima Khan<sup>1</sup>, Abdul Nasir Ansari<sup>1</sup>, Tariq Nadeem Khan<sup>2</sup>, Malik Itrat<sup>3</sup>

<sup>1</sup> Department of Ilaj bit Tadbeer, National Institute of Unani Medicine, Bengaluru, India

<sup>2</sup> Department of Kulliyat, National Institute of Unani Medicine, Bengaluru, India

<sup>3</sup> Department of Tahaffuzi wa Samaji Tibb, National Institute of Unani Medicine, Bengaluru, India

# Article Info:



Article History:

Received 21 March 2021; Review Completed 23 April 2021 Accepted 28 April 2021; Available online 15 May 2021

Cite this article as:

Nayab M, Khan F, Ansari AN, Khan TN, Itrat M, *Nutūl* as an effective and time tested regimenal modality in *Unani* system of medicine: An Overview, Journal of Drug Delivery and Therapeutics. 2021; 11(3):132-137 DOI: http://dx.doi.org/10.22270/jddt.v11i3.4832

#### \*Address for Correspondence:

Mohd Nayab, Department of *Ilaj bit Tadbeer*, National Institute of Unani Medicine, Bengaluru, India

### Abstract

Ilāj bit tadbīr is one of the treatment plans in the Unani system of medicine which includes the modification in asbāb-i-sitta zarooriya (six essential factors) through certain interventions. Nutūl or irrigation is a classical and effective method in regimenal therapy which refers to pouring or dripping of liquid slowly and steadily over the body part from a pre-fixed height. The benefits achieved are an amalgamation of neurological effect, psychological effect and pharmacological actions of the procedure and the drugs used. For this purpose, usually water, oil or medicated decoction is poured from a height over specific sites of body in certain diseases. Therapeutically, nutūl is effective in various ways such as dispersing the causative morbid matter from the part, normalizing the maltemperament, relieving pain, increasing the circulation, etc. It is specifically useful as an adjuvant treatment in the management of central nervous system disorders like headache, insomnia, migraine, amnesia, melancholia, vertigo, epilepsy and also in certain other disorders like cystitis, mastitis, arthralgia, etc. These therapeutic effects are expected due to the kafiyat (quality) of liquid and the constituents of the formulation used in the procedure. Nutūl has an analgesic effect also, hence, recommended in several Musculoskeletal problems such as waja-ul-mafasil (osteoarthritis), waja-uz-zahr (low backache), waja-ul-azlat (myalgia), irq-un-nasa (sciatica), etc. The exact mechanism of action of *Nutūl* therapy is still not known but few preliminary reports suggested that it has an anxiolytic effect through decreasing the plasma noradrenaline and urinary serotonin excretion, decrease in rate of breathing, reduction in diastolic blood pressure and heart rate with lowered sympathetic tone.

Keywords: Tahlīl; Kafiyat; Mizāj; Tadbīr; Joshānda

# **1. INTRODUCTION:**

*Tadbīr* is an Arabic word that stands for "Regimen" (systemic plan) while as *llāj* means "therapy" or "treatment". Therefore, *llāj bit tadbīr* is a treatment through a regimen that is opted according to the pathogenesis of the disease. If the patient is having *su-i-mizāj* (Altered Temperament), lifestyle modifications in diet, sleep, physical activity, climate should be done. Interventions such as *dalk* (massage), *hammām* (turkish bath), *inkibāb* (inhalation), *nutūl* (irrigation), etc. should also be taken into account.

*Nutūl* is one of the classical and well-established regimenal modalities of *llāj bit tadbīr* which is considered very effective and useful in various diseases. It is a procedure of slowly and steadily dripping of medicated liquid from a pre-fixed height over selected body parts. It is also known as *Tarera* or *Dhaar* <sup>1-4</sup>. Some *unāni* physicians used the term *sukūb* synonymously with *nutūl* <sup>4</sup>, but the basic distinction between *nutūl* and *sukūb* is the distance from which the liquid is being poured. If the liquid is poured from a short distance, the procedure is called *sukūb* and if the height is more, it is

known as  $nut\bar{u}l^{1,5}$ . Some of the scholars separated the two with more distinguishing characters and that is continuity of pouring the liquid. The continuity of pouring the liquid remains intact in  $nut\bar{u}l$  while interruption may occur in the procedure of  $suk\bar{u}b^{1,6}$ . Two types of therapeutic effects are expected from this therapy; one due to kaifiyat of liquid and the second due to specific actions of drugs used <sup>1</sup>. An individual experiences a feeling of wellness, mental clarity, and comprehension after the procedure <sup>7</sup>.

# **2. MATERIALS AND METHOD**

PUBMED, MEDLINE, and GOOGLE SCHOLAR databases were searched for the published articles with *nutool*, *nutul*, shirodhara, regimenal therapies, *Unani* medicine, *llāj bit tadbīr*, etc. Relevant clinical trials published in peer-reviewed journals in the English language were only included in this review article. *Unani* literature was extracted from the classical *Unani* books.

# **3. HISTORICAL BACKGROUND**

*Ibn Sina* considered *nutūl* therapy as one of the best treatment modalities when  $Tahl\bar{l}l$ -*i*-warm (dissolution of inflammation) is required. He also advocated its use in those patients having temperamental abnormalities as well as for strengthening body parts <sup>6, 8</sup>. *Nutūl* with  $b\bar{a}b\bar{u}na$  for inflammatory condition and *khashkhāsh* for mental relaxation is recommended by *Ismail Jurjāni*<sup>9</sup>.

#### 3.1. Definition

*Nutūl* is a unique method in which plain water, *joshānda/khaisānda* of specific drugs or oil is being poured slowly and steadily over the specific body part from a pre-fixed height for a predetermined period of time.

#### 3.2. Aims and Objectives 10-12

**3.2.1.** *Taḥlīl-i-Mawād* – to disperse the *akhlāț-i-fāsida* (morbid humours) from the affected part

**3.2.2.** *Ta'dīl-i-Mizāj* – to normalize the *su-i-mizaj* (Altered Temperament) of an organ

**3.2.3.** *Taskīn-i-Alam* – to relieve the painful condition through *imālah-i-akhlāț-i-fāsida* (diversion of morbid humours)

**3.2.4.**  $Muqawwi-i-A's\bar{a}b$  – to strengthen the nerves through increasing circulation and nutrition

3.2.5. Daf '-i-Tashannuj - to relieve spasm

**3.2.6.** Tanqia-i-Maw $\tilde{a}d$  – to evacuate the morbid matter locally

3.2.7. To enhance or improve the blood circulation

3.2.8. To relieve the fatigue

**3.2.9.** To relieve chronic condition like *sarsām*, *fālij*, *waja'-ul-mafāşil*, etc.

# **3.3.1.** *Nutūl-i-Ḥār* (Hot Irrigation)**3.3.2.** *Nutūl-i-Bārid* (Cold Irrigation)

3.3. Classification 8, 11-13

3.3.3. Nutūl-i-Muqawwi (Tonic Irrigation)

#### 3.3.1. Nutūl-i-Ḥar (Hot Irrigation):

A Joshānda or oil consisting of hār advia or plain lukewarm water is used in this type of *nutūl* which acts as *muḥallil-iawrām* (anti-inflammatory). *Taḥlīl-e-awrām* is the main aim of this type of *nutūl*. Two therapeutic effects may be achieved; one due to the *ḥarārat* of the liquid and the second due to the specific actions of the drugs used. *Bārid akhlāt-i-fāsidah* (cold morbid humours) should be eliminated through *nutūl-i-hār* (hot irrigation) irrespective of the temperament of the organ followed by *nutūl-i-bārid* (cold irrigation) for toning up the loosened organs. The rationale behind this is that the heat of *nutūl-i-hār* relaxes or loosens the structures of the particular organ, while *nutūl-i-bārid* helps in restoring the normal tonicity of the organs 1,3,14.

#### 3.3.2. Nutūl-i-Bārid (Cold Irrigation):

A *joshānda/khaisānda* or oil consisting of *bārid adviah* or plain cold water is used in this type of *nutūl* which acts as *mubarrid* (coolant). Main aim of this kind is *tahlīl-e-ḥarārat*. The therapeutic effect may be achieved due to the *barūdat* of the liquid and the active constituents of the liquid used 1,3,14.

#### 3.3.3. Nutūl-i-Muqawwi (Tonic Irrigation):

Both *nutūl-i-ḥar* and *nutūl-i-bārid* are used in this type of *nutūl* alternatively to improve the circulation of the part or organ of the body. It provides nutrition to the weak organ and acts as a *muqawwi-i-a'ṣāb* (nervine tonic) <sup>1</sup>.

#### **3.4. List of Equipment:**

<i>Nutūl</i> table	<i>Nutūl</i> pot	Cotton	Gas stove
Container for liquid collection	Pot for heating the liquid	Rubber sheet	Towel

#### 3.5. Procedure 15, 16

#### 3.5.1. Pre-procedure care:

- Blood pressure and pulse rate should be recorded prior to the procedure.
- The patient should be asked to lie in a supine/ prone/left or right lateral position on the *nutūl* table as required for the access of the target area for the procedure.
- The target area for *nutūl* should be sufficiently exposed while other body parts remain covered.
- Small pillows or bundles of sheets are put under the neck/ back/ or another required area to keep the patient comfortable.
- The recommended amount of liquid (water, oil, or *Joshānda*) is poured into the *nutūl* pot and mounted on a height-adjustable stand.
- The eyes are covered with cotton pads to abstain from spilling oil into them for safety purposes while doing *nutūl* on the forehead.

#### 3.5.2. Technician's preparation:

[133]

gloves. The technician remains polite, cooperative, and attentive during the procedure.

The technician washes the hands and wears sterile

#### 3.5.3. Procedure:

- The whole procedure is explained to the patient and reassured of safety.
- The *nutūl* pot hangs exactly over the targeted body part at a recommended height and a calibrated stream of plain water/oil/*joshānda* is allowed to fall on that targeted body part (figure 1).
- A continuous stream of recommended liquid is poured over the targeted body part.
- The used oil or medicated decoction is collected in a container.
- The collected liquid is reheated to warm and put in the pot to repeat the *nutūl* procedure if required.
- If there is any irritation or rashes on the skin after liquid contact, the *nutūl* is immediately stopped.



Figure 1: Procedure of nutūl

# 3.5.4. Post-procedure care:

- After *nutūl*, the oil or decoction is wiped off from the body part.
- The patient is advised to take rest for 15 minutes and observed for any untoward effect.
- The patient may be advised to take bath with medicated water or lukewarm water after 30 minutes.




Figure 2: Flowchart showing the mechanism of action of nutūl

# 3.6. Indications and Specific Formulations:

Unani physicians mentioned  $nut\bar{u}l$  therapy in various kinds of diseases with specific poly-herbal formulations. Below is

the list of most common diseases in which  $nut\bar{u}l$  has been recommended with their specific formulations (Table 2.).

# Table 2: Indications & specific formulations

Şuda'-i-ḥār (Headache)Jau (Hordeum vulgare), peel of Kaddu (Laginaria siceraria), Tukhm-i-Kāhu (Lactuca sativa Linn), (Plantago ovate seeds), Banafshah (Viola odorata), Khațmi (Althea officinalis), Gul-i-Nīlofar (Ne speciosum) 17 Banafshah (Viola odorata), Jau (Hordeum vulgare), Kaddu (Laginaria siceraria), Khurfa (Portulaca o Katān (Linum usitatissimum), peel of opium (papaver somniferum), the root of Luffāh (Atropa bel Khatmi (Althea officinalis), Tukhm-i-Kāhu (Lactuca sativa Linn), Barg-i-Bed (Salix alba), Gul-i-Gui centifolia) 17 Gul-i-Nīlofar (Nelumbium speciosum), Khubbāzi (Malva sylvestris), peel of opium (papaver somnifer Jau (Hordeum vulgare) 17Şuda-i-bārid (Headache)Ustukhudūs (Lavendula stoechas), Berg-i-Ghār (Laurus nobilis), Qaisūm (Artimisia abrotanum (Cirus badranjboya (Melissa parviflora), sazij (Cinnamomum obtusifolium), qaranfal (Syzygium aron bādyān (Foeniculum vulgare Mill), beikh-i-bādyān (Foeniculum vulgare Mill), beikh-i-karafs roxburghianum), Gul-i-Gulāb (Rosa centifolia), pudina (Mentha arvensis), suddāb (Ruta graveolenc (Thymus vulgaris) 17Shaqīqa (Migraine)Patients of shaqīqa-i-hār should be treated with bārid adviah first. If the symptoms persist, a Jos khashkhāsh (Papaver somniferum), banafshah (Viola odorata), and wheat husk is used as a nutūl scalp and forehead17Sarsām (Meningitis)A Joshānda of bānūnah (Matricara chamomile), Shibt (Anethum sowa), Berg-i-reḥan (Ocimum s banafshah (Viola odorata), gul-i-nargis (Narcissus tazetta) is prepared and mixed with roghan-i- roghan-i-kunjad, roghan-i-bādām and milk and used for nutūl over the forehead 17 Joshānda of Khashkāba sa nutūl is recommended to induce mental relaxation and mixed with bār the resolution of inflammation <sup>8</sup> MālankhūliyaA Joshānda of shibt (Anethum sowa), susan (Iris florentina), bānūnah (Matricaria chamo	elumbium oleracea), Iladonna), Ilāb (Rosa rum), and n), Ḥulba modica), maticum), s (Carum
Banafshah (Viola odorata), Jau (Hordeum vulgare), Kaddu (Laginaria siceraria), Khurfa (Portulaca o Katān (Linum usitatissimum), peel of opium (papaver somniferum), the root of Luffāh (Atropa bel Khatmi (Althea officinalis), Tukhm-i-Kāhu (Lactuca sativa Linn), Barg-i-Bed (Salix alba), Gul-i-Gul centifolia) 17 Gul-i-Nīlofar (Nelumbium speciosum), Khubbāzi (Malva sylvestris), peel of opium (papaver somnifer Jau (Hordeum vulgare) 17Şuda-i-bārid (Headache)Ustukhuddūs (Lavendula stoechas), Berg-i-Ghār (Laurus nobilis), Qaisūm (Artimisia abrotanum (Trigonella foenum), wheat husk, salt, bānūnah (Matricaria chamomile), barg-i-turanj (Citrus badranjboya (Melissa parviflora), sazij (Cinnamomum obtusifolium), qaranfal (Syzygium arom bādyān (Foeniculum vulgare Mill), beikh-i-bādyān (Foeniculum vulgare Mill), beikh-i-karafs roxburghianum), Gul-i-Gulāb (Rosa centifolia), pudina (Mentha arvensis), suddāb (Ruta graveolenc (Thymus vulgaris) 17Shaqīqa (Migraine)Patients of shaqīqa-i-ḥār should be treated with bārid adviah first. If the symptoms persist, a Jos khashkhāsh (Papaver somniferum), banafshah (Viola odorata), and wheat husk is used as a nutūl scalp and forehead <sup>17</sup> Sarsām (Meningitis)A Joshānda of bānūnah (Matricara chamomile), Shibt (Anethum sowa), Berg-i-reḥan (Ocimum s banafshah (Viola odorata), gul-i-nargis (Narcissus tazetta) is prepared and mixed with roghan-i- roghan-i-kunjad, roghan-i-bādām and milk and used for nutūl over the forehead <sup>17</sup> Joshānda of Khashkhāsh as nutūl is recommended to induce mental relaxation and mixed with bār the resolution of inflammation <sup>8</sup>	lladonna), lāb (Rosa rum), and n), <u>Hulba</u> modica), maticum), s (Carum
Gul-i-Nīlofar (Nelumbium speciosum), Khubbāzi (Malva sylvestris), peel of opium (papaver somnifer Jau (Hordeum vulgare) 17Şuda-i-bārid (Headache)Ustukhuddūs (Lavendula stoechas), Berg-i-Ghār (Laurus nobilis), Qaisūm (Artimisia abrotanum (Trigonella foenum), wheat husk, salt, bānūnah (Matricaria chamomile), barg-i-turanj (Citrus badranjboya (Melissa parviflora), sazij (Cinnamomum obtusifolium), qaranfal (Syzygium arom bādyān (Foeniculum vulgare Mill), beikh-i-bādyān (Foeniculum vulgare Mill), beikh-i-karafs roxburghianum), Gul-i-Gulāb (Rosa centifolia), pudina (Mentha arvensis), suddāb (Ruta graveolenc (Thymus vulgaris) 17Shaqīqa (Migraine)Patients of shaqīqa-i-ḥār should be treated with bārid adviah first. If the symptoms persist, a Jos khashkhāsh (Papaver somniferum), banafshah (Viola odorata), and wheat husk is used as a nutūl scalp and forehead17Sarsām (Meningitis)A Joshānda of bānūnah (Matricara chamomile), Shibt (Anethum sowa), Berg-i-reḥan (Ocimum s banafshah (Viola odorata), gul-i-nargis (Narcissus tazetta) is prepared and mixed with roghan-i- roghan-i-kunjad, roghan-i-bādām and milk and used for nutūl over the forehead 17 Joshānda of Khashkhāsh as nutūl is recommended to induce mental relaxation and mixed with bār the resolution of inflammation <sup>8</sup>	n), Hulba modica), maticum), s (Carum
(Headache)(Trigonella foenum), wheat husk, salt, bānūnah (Matricaria chamomile), barg-i-turanj (Citrus badranjboya (Melissa parviflora), sazij (Cinnamomum obtusifolium), qaranfal (Syzygium arom bādyān (Foeniculum vulgare Mill), beikh-i-bādyān (Foeniculum vulgare Mill), beikh-i-karafs roxburghianum), Gul-i-Gulāb (Rosa centifolia), pudina (Mentha arvensis), suddāb (Ruta graveolence (Thymus vulgaris) 17Shaqīqa (Migraine)Patients of shaqīqa-i-ḥār should be treated with bārid adviah first. If the symptoms persist, a Jos khashkhāsh (Papaver somniferum), banafshah (Viola odorata), and wheat husk is used as a nutūl scalp and forehead17Sarsām (Meningitis)A Joshānda of bānūnah (Matricara chamomile), Shibt (Anethum sowa), Berg-i-reḥaŋ (Ocimum s banafshah (Viola odorata), gul-i-nargis (Narcissus tazetta) is prepared and mixed with roghan-i- 	modica), maticum), s (Carum
Shaqiqa       Patients of shaqiqa-i-ḥār should be treated with bārid adviah first. If the symptoms persist, a Jos khashkhāsh (Papaver somniferum), banafshah (Viola odorata), and wheat husk is used as a nutūl scalp and forehead <sup>17</sup> Sarsām       A Joshānda of bānūnah (Matricara chamomile), Shibt (Anethum sowa), Berg-i-reḥan (Ocimum s banafshah (Viola odorata), gul-i-nargis (Narcissus tazetta) is prepared and mixed with roghan-i-roghan-i-kunjad, roghan-i-bādām and milk and used for nutūl over the forehead <sup>17</sup> Joshānda of Khashkhāsh as nutūl is recommended to induce mental relaxation and mixed with bār the resolution of inflammation <sup>8</sup>	
(Meningitis) banafshah (Viola odorata), gul-i-nargis (Narcissus tazetta) is prepared and mixed with roghan-i- roghan-i-kunjad, roghan-i-bādām and milk and used for nutūl over the forehead <sup>17</sup> Joshānda of Khashkhāsh as nutūl is recommended to induce mental relaxation and mixed with bār the resolution of inflammation <sup>8</sup>	
	bānūnah,
<ul> <li>A Joshanda of shibt (Anethum sowa), susan (Iris Jorentina), bahunan (Matricaria chamomile), and r (Trigonella uncata) is recommended as nutūl over the scalp for Mālankhūliya <sup>9,17</sup></li> <li>A lukewarm Joshānda of Bānūnah (Matricaria chamomile) nakhūnah (Trigonella uncata) barg-i-bāa (Nepeta hindostana), barg-i-saru (leaves of Cupressus semepervirens), jauz al-saru (Fruit of C semepervirens), flowers of henna (Lawsonia alba), ushna (Permelia perlata), berg-i-khubāz sylvestris), berg-i-khatmi (Althea officinalis) and wheat husk should be used as nutūl over the continuously in the patients of Mālankhūliya Bārid <sup>17</sup>.</li> </ul>	dranjboya Cupressus zi (Malva
Sahar       A Joshānda of banafshah (Viola odorata), Gul-i-Nīlofar (Nelumbium speciosum), Gul-i-Gulāb (Rosa ca (Insomnia)         Tukhm-i-Kāhu (Lactuca sativa Linn), Kishnīz Sabz (Coriandrum sativum), Khashkhāsh (Papaver som and Jau (Hordeum vulgare) is considered effective as a nutūl on the forehead in the patients of insort	nniferum), omnia.
Nisyān       A Joshānda of bābūna (Matricaria chamomile), nākhūna (Trigonella uncata), qurtum kofta (Co (Amnesia)         (Amnesia)       tictorious, ground), Tukhm-i-khatmi (Althea officinalis seeds) or berg-i-khatmi (leaves of Althea offic recommended for nutūl over the scalp <sup>17</sup> .	
FālijA hot mixture of Sirka and roghan-i-gul is recommended for the patient of falij as a nutūl.(Hemiplegia)	
Dawār (Vertigo)       A Joshānda of bābūna (Matricaria chamomile), Nākhūna (Trigonella uncata), Marzanjosh (C majorana) sa'tar (Thymus serphyllum), and rehān (Ocimum basilicum) is recommended as a nutu patients of vitiligo <sup>17</sup> .	
Sara'A Joshānda of Bābūnah (Matricaria chamomile), Nākhūnah (Trigonella uncata), and Marzanjosh (G(Epilepsy)majorana) is recommended as nutūl in the cases of epilepsy 17.Clificitation of the same of t	Origanum
Shibt (Anethum sowa) and Branjasif (Artimisia abrotanum) may also be added <sup>19</sup> .           Mānia         A Joshānda of banafsha (Viola odorata), nīlofar (Nelumbium speciosum), gul-i-khatmi (Althea of sweet basil (Ocimum basilicum), jau (Hordeum vulgare), berg-i-baid (Salix alba), Gul-i-Gula centifolia), Berg-i-Kāhu (Lactuca sativa), Berg-i-Makoh (Solanum nigrum) is used for the patients of 17	āb (Rosa
<i>D</i> hat-ul-JanbNutūl of warm water is prescribed on the affected site which gives relief in pain 17.(Pleurisy)	
Warm-i- Mathāna (Cystitis)Nutūl with Roghan-i-Gul (Rose oil) is found useful if done on the pelvic region 17.	
Hiṣāt-i-KulliyaA Joshānda of gul-i-teisu (Butea monosperma), gul-i-kasam (Carthamus tictorious), tukhm-i- (Cucumis melo), tukhm-i-khyārain (Cucumis sativus seed), khār-i-khasak (Tribulus terrestris) is prep poured over the site of pain 9, 17.	
Hiṣāt-i- MathānaA Joshānda of bābūnah (Matricaria chamomile), nākhūnah (Trigonella uncata), khatmi (Althea of and wheat husk is recommended over the pelvic region for Hɨṣāt-i- Mathāna 17.Bladder Stone)	fficinalis),
Waja'-ul-MafāşilA Joshānda of makoh (Solanum nigrum) and khār-i-khasak (Tribulus terrestris) is recomment (Arthralgia)(Arthralgia)followed by dalk-i-layyin of the affected area or joint with Roghan-i-Gul 5.	
Warm-i-Sadi (Mastitis)A Joshānda of bābūnah (Matricaria chamomile), shibt (Anethum sowa), ḥulba (Trigonella foenum g qaiṣūm (Artemisia absinthium) and Jund baidastar (Castoreum) is advocated as nutūl over the affect 5.5.	

# 4. DISCUSSION

*Nutūl* or irrigation is done with a purpose of acceleration of process of *ikhraj-i-mawād* (evacuation of morbid material) ta'dil-i-mizāj-i-A'zā (normalization Altered and of Temperament of organ) and to improve the quwat-imudāfiat (defense mechanism of body), resulting in desired neurological, psychological and pharmacological effects in various diseases. It also enhances the local absorption of medicines thus helps in getting the desired action of medicine locally. Nutūl has multidirectional effects including tehrīk-i-a'ṣāb (nerve stimulation). It helps in the dissolution of causative pathological material from the diseased part of the body, modifies local temperature of the part, and also helps in imāla-i-mawād-i-fāsida towards the periphery or away from the diseased organs. In the case of nutūl-i-har, the temperature of the part is raised due to increased blood circulation in dilated vessels which removes the stagnant causative matter from its site of lodgement. It also increases the supply of nutrients at the diseased parts or organs resulting in improved recovery. Nutūl is effective by having mussakin-i-alam (analgesic), mukhadir (sedative), muratib (emollient), mubarid (cold), munavim (hypnotic), mugawwie dimag (brain tonic) properties (figure 2) <sup>1, 15,16,21</sup>.

Relaxation induced by *nutūl* therapy is reflected by bradycardia and lowered sympathetic tone. Sympathetic relaxation results in increasing blood circulation and skin temperature <sup>22</sup>. *Nutūl* over the forehead is especially known to have psychological effects which support the anxiolytic effect of the therapy. Biochemical changes include suppression of noradrenaline & alpha receptors which result in sympathetic suppression rather than parasympathetic activation. The impulses from the forehead cause stimulation of the trigeminal nerve and also a somato-autonomic reflex and change in levels of various neurotransmitters including serotonin and catecholamine, resulting in sympathetic suppression and psycho-neuro-immunologic effects <sup>23, 24</sup>.

It was explained in one study that the stimulus from the skin especially of the forehead is carried by the ophthalmic branch of the trigeminal nerve to the reticulospinal neurons. A small fraction of this causes an immediate motor response and much of the remaining is stored for future control of motor activities. Therefore, repeated stimuli are needed for consolidation of this information which needs 5-10 minutes for minimal consolidation and about one hour for stronger consolidation. This explains the practice of carrying out nutūl for about 45 minutes. Further, to achieve the permanent effect of *nutūl*, there must be a change in response characteristics of different neuronal pathways, which may be brought about by regular therapy for a fortnight. Regular or continuous pressure input generates a continuous impulse to the central nervous system (CNS) thereby continuously stimulating the CNS. Practicing this procedure regularly for 15 days may lead to long-lasting stimulation of the CNS<sup>21</sup>.

Several studies were conducted to evaluate the efficacy of  $nut\bar{u}l$  or medicated liquid dripping procedure in the treatment of insomnia <sup>16, 25-29</sup>. These studies showed improvement in insomnia which may be due to relaxation of the sympathetic nervous system <sup>30-33</sup>. However, properly randomized, controlled, blinded clinical trials on insomnia and other diseases are needed to be conducted.

# **5. CONCLUSION:**

*Nutūl* therapy is considered one of the effective methods of treatment in *llaj-bit-tadbeer* for various disorders and complications as documented in classical *Unani* literature. This technique is very safe, cost-effective, easy to administer, and may be employed in low-resource settings also, without

#### Journal of Drug Delivery & Therapeutics. 2021; 11(3):132-137

possible side-effects as compared to oral medication. Nutūl therapy irrespective of use of any kind of liquid exerts its own effect by the virtue of its sheer streaming effect on the body part. In addition to the inherent effect of *nutūl* therapy the efficacy is further enhanced by using drugs. Promising psychological, neurological, as well physical, as immunological benefits of this regimen were claimed through several preliminary studies. Further research is vital to clarify the full clinical and economic implications of nutul therapy and to determine the true potential of this age old reliable regimenal therapy of Unani system of medicine. Therefore, conduction of more extensive, exhaustive, randomized clinical studies on a large sample size is the need of the hour to evaluate its efficacy in various diseases on reliable and validated scientific parameters.

#### **REFERENCES:**

- 1. Nikhat S, Fazil M, An Analytical Review on Nutool (Irrigation Therapy), Journal of Drug Delivery and Therapeutics. 2015; 5(5):1-4.
- 2. Nafees AB. Kulliyat-e-Nafisi (Tarjuma wa Sharah by Kabiruddin M); New Delhi: Idara Kitab-ush-Shifa; 1934.
- 3. Sina I. Kulliyat e Qanoon. (Urdu Translation by Kabiruddin M.). New Delhi: Aijaz Publishing House; 2006.
- Ehtisham, Khan RM, Ansari AH. A Comprehensive Review of Bekhwabi (Insomnia). European Journal of Pharmaceutical and Medical Research. 2015; 2(5):641-69.
- 5. Jilani G. Makhzan ul Murakkabat. New Delhi: Aijaz Publication House; 1995.
- 6. Kabiruddin M. Al Qarabadeen. New Delhi: Central Council for Research in Unani Medicine; 2006.
- Dhuri KD, Bodhe PV, Vaidya AB. Shirodhara: A psychophysiological profile in healthy volunteers. Journal of Ayurveda & Integrative Medicine. 2013; 4(1):40-44. doi: 10.4103/0975-9476.109550.
- Sina I. Al Qanoon Fil Tib (Urdu translation by Kantoori GH). Vol 1. New Delhi: Ejaz Publishing House; 2010.
- 9. Jurjani AH. Zakheera Khwarzm Shahi. New Delhi: Idara Kitab-us-Shifa; 2010.
- 10. Rais-ur-Rehman, Pasha A, Katoch D.C., Siddiqui KM, Khan MA, Jamil S. Unani System of Medicine the science of health and healing. New Delhi: Department of Ayush Ministry of Health and Family Welfare Govt. of India; 2013, 39-44.
- 11. Kabiruddin M. Kulliyat advia. Lahore: Idara Taimir-e-Tibb, Urdu bazaar; YNM
- 12. Jamal MA, Khan MA, Kitab ut Tadbīr, Al-Farooq Educational Society and Trust Indore, India, 2013.
- 13. Roohi Azam, Shafia Mushtaq, Fassihuzaman, Azhar Jabeen, Zehra Zaidi, Shah Alam, Nutool (Irrigation) An effective mode of treatment in Ilaj bit Tadbeer (Regimenal therapy). Indo American Journal of Pharm Research.2014:4(12):5787-91.
- Azam R, Nisar S, Jabeen A, Jilani S, Jahangir U, Parveen S. Nutool Therapy (Irrigation) and its Practical Applications in Unani System of Medicine. World Journal of Pharmaceutical Research. 2016; 5(11):599-607. DOI: 10.20959/wjpr201611-7300
- Mushtaq S, Jabeen A, Fasihuzaman, Mushtaq M, Jilani S, Nikhat S, Alam S, Insomnia and its management in Unani medicine, Int. J Adv Pharmacy Med Bioallied Sci.; 2014; 2(1):51-53.
- 16. Jahan M, Shervani AMK, Ahmed U, Firdose FK, Ansari AN, Jahan N. An international trial to evaluate the efficacy of Nutool therapy in the control of primary insomnia among the elderly using structured insomnia schedule, Int.Res.J. Medical Sci.; 2014; 2(2):1-6.
- 17. Khan A. Akseer-e-Azam (Urdu Translation by Kabiruddin M). New Delhi: Idara Kitab-ush-Shifa. 2011.
- Tabri M. Al-Moalijat Al-Buqratiyah. New Delhi: Central Council for Research in Unani Medicine. 1995.
- Tabri R. Firdaus Al-Hikmat (Translation by Md. A. S. Sambhali). Pakistan, Lahore: Sheikh Mohd. Basheer and Sons; 1996.
- Zuhr I. Kitab-al-Taisir. 1<sup>st</sup> ed. New Delhi: Central Council for Research in Unani Medicine. 1986.
- 21. Kumar SH, Neetu S, Dutta SV, Vyas PP. An Approach to Understand the Mechanism of Action of Shirodhara. TEJAS: The Edgy Journal of Alive Sciences 2014; 2(2):39-42.
- 22. Tortora GJ, Grabowski SR. Principles of Anatomy and Physiology. 9th ed. New York: Wiley, 2000.

#### Nayab et al

- Uebaba K, Feng-Hao Xu, Ogawa H, Tatsuse T, Bing-Hong Wang, Hisajima T, Venkatraman S. Psychoneuroimmunologic Effects of Ayurvedic Oil-Dripping Treatment. The Journal of Alternative and Complementary Medicine. 2008; 14(10):1189–1198. DOI: 10.1089/acm.2008.0273.
- 24. Uebaba K, Xu FH, Tagawa M, Asakura R, Itou T, Tatsuse T, Taguchi Y, Ogawa H, Shimabayashi M, Hisajima T. Using a healing robot for the scientific study of shirodhara. Altered states of consciousness and decreased anxiety through Indian dripping oil treatments. IEEE Eng Med Biol Mag 2005; 24(2):69-78. DOI: 10.1109/memb.2005.1411351
- Khan S, Nayab M, Ansari RA. Effect of Nutool with Roghan-e-Banafsha in Sahar" (Primary Insomnia). IJRAR. 2019; 6(1):1271-81.
- 26. Gotmare A, Tawalare K, Nanote K, Dehankara M. Godugdha Shirodhara: a non-pharmacological treatment of nidranash (insomnia). Int J Res Ayurveda Pharmacy 2013; 4:541–44. DOI: 10.7897/2277-4343.04417
- 27. Pokharel S, Sharma A. Evaluation of Insomrid Tablet and Shirodhara in the management of anidra (insomnia). Ayu 2010; 31:40–47. doi: 10.4103/0974-8520.68209.
- 28. Singh AK, Chandola HM, Ravishankar B. Clinical study on psychic traits in stress-induced chronic insomnia and its management

#### Journal of Drug Delivery & Therapeutics. 2021; 11(3):132-137

with Mamsyadi Ghrita & Dashamula Kwatha Shirodhara. AYU 2008; 29(1):9–18.

- 29. Vanish B, Chandola HM. Clinical study on psychic traits in stress included insomnia (anidra) and its management with tagaradi kwatha & mahishi dugdha shirodhara. AYU 2008; 29(3):133–139.
- Xu F, Uebaba K, Ogawa H, Tatsuse T, Wang BH, Hisajima T, et al. Pharmaco-physiopsychologic effect of Ayurvedic oil-dripping treatment using essential oil from Lavendula angustifolia. J Altern Complement Med 2008; 14:947–956. doi: 10.1089/acm.2008.0240.
- Krauchi K, Cajochen C, Werth E, Wirz-Justice A. Warm feet promote the rapid onset of sleep. Nature 1999; 401:36–37. DOI: 10.1038/43366
- 32. Krauchi K, Cajochen C, Werth E, Wirz-Justice A. Functional link between distal vasodilation and sleep-onset latency? Am J Physiol Regul Integr Comp Physiol 2000; 278:R741–748. DOI: 10.1152/ajpregu.2000.278.3.R741.
- Liao WC, Wang L, Kuo CP, Lo C, Chiu MJ, Ting H. Effect of a warm footbath before bedtime on body temperature and sleep in older adults with good and poor sleep: an experimental crossover trial. Int J Nurs Stud. 2013; 50:1607–16. doi: 10.1016/j.ijnurstu.2013.04.006.